

Acetaminophen (Tylenol) Dosage Chart (every 4 hours, as needed)

Weight	Age	Infant Suspension (160 mg/5 mL)	Children's Suspension (160 mg/5 ml)	Children's Soft Chew Tablets (160 mg each)	Children's Dissolve Packs (160 mg each)	Jr. Strength Tabs/Caps (160 mg each)	Rectal Suppositories (various doses)
6-11 lbs	2-3 mos.	1.25 mL					(½) 80 mg suppository
12-17 lbs	4-11 mos.	2.5 mL	2.5 mL				(1) 80 mg suppository
18-23 lbs	12-23 mos.	3.75 mL	3.75 mL				(1) 120 mg suppository
24-35 lbs	2-3 yrs.	5 mL	5 mL	1 chew tab	DO NOT USE < 6 years		(½) 325 mg suppository
36-47 lbs	4-5 yrs.		7.5 mL	1½ chew tabs	DO NOT USE < 48 lbs	1½ tabs/caps	(2) 120 mg suppositories
48-59 lbs	6-8 yrs.		10 mL	2 chew tabs	2 powder packs	2 tabs/caps	(1) 325 mg suppository
60-71 lbs	9-10 yrs.		12.5 mL	2½ chew tabs	2 powder packs	2½ tabs/caps	(1) 325 mg suppository
72-95 lbs	11 yrs.		15 mL	3 chew tabs	3 powder packs	3 tabs/caps	(1½) 325 mg suppository
over 95 lbs	over 11 yrs.					4 tabs/caps OR 2 adult tabs/caps	(1) 650 mg suppository OR (2) 325 mg suppositories